



GRASA AGRO IBERFARM-88

Description

Lithium based grease with a highly fluid consistency, specially designed for the lubrication of the spindles and axles of cotton harvesting machinery. It can also be used on centralized lubrication systems which require a grease with consistency 00.

Qualities

- Excellent fluidity at a wide range of temperatures.
- Extended mechanism.
- Good adherence and anti-frictional properties.
- Highly resistant to water washing.

Technical Characteristics

	UNIT	METHOD	VALUE
Aspect		VISUAL	Fibrous
Consistency		NLGI	00
Soap Type			Lithium
Penetration 60 strokes	1/10 mm	INTA 150225	400

Available in

180 Kg. drums and 16 Kg. cans.

Hazard Identification

This product is not classified as toxic or hazardous under current legislation.

Handling

Certain minimum precautions to avoid prolonged contact with the skin should be taken when handling. The use of gloves, visors or masks is recommended in order to avoid splashes.

Health and safety hazards

Inhalation: Minimum risk of inhalation as it is a non-volatile product.

Ingestion: Does not provoke vomiting. Drink water. Seek medical assistance.

Contact with Skin: Wash with abundant water and soap.

Eyes: Wash with abundant water.

General measures: Seek medical assistance.

Fire fighting measures

No special measures are required.

Fire control: Foams, dry chemicals, CO₂, water spray. Do not apply water jet directly as this may cause the product to spread.

Environmental precautions

Danger of physical contamination in the case of spillage (water flows, coastal areas, the ground, etc.) due to its floating capacity and oily consistency which may cause damage to fauna and flora with which it comes into contact. Avoid its penetration into water containers or outlets.

Decontamination and cleaning: Treat as an accidental oil spillage. Avoid spreading by using mechanical barriers and eliminate using both physical and chemical means.

Emergency telephone number. Instituto Nacional de Toxicología 915620420
A safety data file exists.

Unless otherwise specified, the values cited in technical characteristics should be considered as typical.